

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au	Zn	Au	Ag	Zn	Cu	Pb	Type***	Azimuth	Dip	UTM		Total Depth (m)
					Eq** (g/t)	Eq** (g/t)									(g/t)	(g/t)	
GWM-17E-01	106.8	108.3	1.6	1.0	73.3		72.5	29.4	0.7			DSS	340°	-63°	5494990	655869	150
	112.9	114.0	1.1	0.7			1.1	DSS									
GWM-17E-02	263.3	264.3	1.0	0.6					0.9			DSS	340°	-65°	5494924	655858	348
	274.4	275.4	1.0	0.6				0.8		DSS							
	329.6	334.5	4.9		0.6					DSS							
	339.9	341.2	1.3		0.9					DSS							
GWM-17E-03	372.9	373.6	0.8						0.5			DSS	314°	-67	5494924	655858	454
	374.5	375.5	1.0					1.4			DSS						
	384.1	385.0	0.9					0.4		DSS							
	386.1	387.0	1.0					0.7		DSS							
	389.7	391.2	1.5					0.7		DSS							
	395.7	396.7	1.0					0.6		DSS							
GWM-17E-04	303.4	305.0	1.7	1.2			0.6	62.0	0.5	5.1		MSS	3°	-55°	5494801	655626	368
	including	303.7	304.3	0.6	0.0		1.3	159.0		12.9		MSS					
GWM-17E-05	355.0	356.9	1.9	1.2			1.4	89.9	0.3	7.4	0.7	MSS	354°	-67°	5494801	655626	456
GWM-17E-06	341.8	344.4	2.7	1.7	14.5	26.6	2.8	111.3	4.0	4.7	0.2	MSS	343	-64°	5494801	655626	432
	including	343.3	343.8	0.5	0.3	29.2	7.8	162.6	1.0	11.2		MSS					
GWM-17E-07	611.2	611.9	0.8	0.5						*0.9		DSS	343°	-69°	5494701	655646	705
	615.5	618.0	2.5	1.7					0.5			DSS					
GWM-17E-08	804.6	822.3	17.7			10.8	1.1	95.2	4.2	0.6	0.3	MSS	204°	-49	5495170	654348	945
	including	804.6	806.7	2.0		15.2	1.0	147.6	8.3	0.2	0.6	MSS					
	including	811.3	815.8	4.5		22.3	1.7	190.9	9.7	1.3	0.5	MSS					
GWM-17E-09	121.1	123.8	2.7	1.8		9.6	0.4	121.0	2.7	0.9	0.2	MSS	26°	-55°	5494885	655354	192
	including	121.6	122.1	0.5	0.3	18.2	0.9	166.7	7.8	1.4		MSS					
GWM-17E-10	69.5	70.4	0.9	0.7					1.2			SMS	77	-50	5494900	655300	150
	77.1	77.9	0.8	0.6			14.1	0.6	1.0			SMS					
GWM-17E-11	No significant values												308°	-56°	5494885	655354	222
GWM-17E-12	215.2	218.1	2.7	1.7	2.5	4.7	0.4	68.2	2.1			SMS	13°	-58	5494833	655365	270
	232.0	233.1	1.1	0.7					0.8			DSS					
	238.2	238.8	0.6	0.4			17.9	2.5	0.5			DSS					
	247.7	248.7	1.0	0.6			27.1	0.6	0.6			DSS					

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au	Zn	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimuth	Dip	UTM		Total Depth (m)
					Eq** (g/t)	Eq** (g/t)									Northing	Easting	
GWM-17E-13	124.3	126.6	2.4	1.0		9.2	0.8	54.7	4.9	0.3	0.5	MSS	357°	-73°	5494834	655151	160
including	125.8	126.6	0.9	0.4	10.0	18.4	1.9	92.4	10.9	0.5	1.6	MSS	13°	-58	5494833	655365	270
GWM-17E-14	259.3	262.0	2.7	1.4	8.9	16.4	1.5	121.0	6.0	1.3	0.8	MSS	351°	-69°	5494746	655180	321
including	259.3	260.7	1.4	0.7	11.8	21.7	2.5	137.4	10.4	0.7	1.4	MSS					
GWM-17E-15	200.8	204.4	3.6	2.5	5.5	10.2	2.0	45.9	3.6	0.4	0.5	SMS	11°	-52	5494746	655180	252
including	203.4	204.4	1.1	0.7	15.9	29.2	6.5	123.6	9.6	1.0	1.5	SMS					
GWM-17E-16	279.0	280.6	1.6	0.8	31.9		22.4	199.3	10.4		2.0	MSS	17°	-69	5494746	655180	420
	275.0	276.0	1.0	0.5	5.2	9.6	2.1	85.9	2.9		0.6	DSS					
	298.1	300.1	2.0	1.0					1.2			DSS					
	301.6	302.4	0.8	0.4				17.0	2.6	0.4		DSS					
	304.2	305.3	1.1	0.6			0.3		1.6			DSS					
	315.3	316.2	0.9	0.4			0.3	36.0	1.4	2.2		SMS					
	316.6	317.2	0.6	0.3			0.2	12.6		0.7		SMS					
	355.0	355.5	0.6	0.3					0.9			DSS					
GWM-17E-19	Stopped due to deviation. Will be continued later.												341°	-69	5494557	655421	219
GWM-17E-19A	No significant values												335°	-72	5494557	655421	852
GWM-17E-19AW1	707.2	709.0	1.9	1.4	6.6	12.2	1.8	70.9	6.1	0.3		MSS	337°	-62	5494557	655421	505
including	707.2	707.7	0.5	0.4	13.0	23.9	5.0	88.1	10.5	0.4	0.7	MSS					
	711.0	713.0	2.0	1.6				15.0		0.6		SMS					
	719.5	720.5	1.0	0.8						0.5		DSS					
	824.4	724.9	0.5	0.4						0.5		DSS					
GWM-17E-24	71.7	73.7	2.1	1.2		21.3	2.3	65.7	12.6	0.8	0.3	MSS	149°	-59	5494966	654430	306
	411.4	412.9	1.5	0.8	17.9	32.9	5.2	198.7	15.7	0.4	1.3	MSS					
GWM-17E-25	57.0	64.4	7.4	5.0						1.4		DSS	169°	-51	5494966	654430	467
including	63.4	64.4	1.0	0.7	6.8		2.6		2.8	1.6		MSS					
	79.6	80.1	0.5	0.3			1.0		1.0			MSS					
GWM-17E-26	73.0	74.5	1.5	0.9			1.4	44.4		1.0		DSS	169°	-61	5494966	654430	600
including	74.0	74.5	0.5	0.3			3.2	27.7				MSS					
	91.8	94.8	3.0	2.0		9.9	0.8	38.3	2.5	1.6		SMS					

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au	Zn	Au	Ag	Zn	Cu	Pb	Type***	Azimuth	Dip	UTM		Total Depth (m)		
					Eq** (g/t)	Eq** (g/t)									(g/t)	(g/t)		(%)	(%)
GWM-17E-27	82.6	84.4	1.8	1.1	12.3		4.7	67.5	4.9	2.1	1.0	MSS	146°	-63	5494966	654430	522		
	59.0	60.0	1.0	0.7						2.0		DSS							
	79.8	80.8	1.0	0.7				24.6		1.3		DSS							
	103.0	105.0	2.0	1.3			0.3	15.7		0.6		DSS							
	285.6	286.4	0.9	0.6			1.2	36.8				MSS							
	295.6	298.3	2.6	1.7	6.3		5.7	43.2				MSS							
	499.8	503.1	3.3	2.1			39.1	2.2	181.0	28.5	0.3	0.9						MSS	
	including	502.0	503.1	1.1	0.7			50.5	4.8	145.5	36.6	0.2						0.7	MSS
	including	521.3	523.9	2.6	1.7			26.2	0.3	190.7	18.6	0.5						0.5	MSS
including	521.3	523.0	1.8	1.1			34.0	0.4	222.8	25.0	0.6	0.6	MSS						
GWM-18E-31	497	503	6.4	4.4	9		6.9	78.5	1.7			SMS	334.9	-71.1	5494596	654847.7	522		
including	497	498	1.6	1.1	26.6		21.9	113.1	5.6			MSS							
which includes	497	498	0.9	0.6	39.8		33.1	152.5	8.3			MSS							
including	501	503	2.1	1.4	7		4.3	154.8	0.9			MSS							
which includes	502	502	0.8	0.5	8.3		8.3					MSS							
GWM-18E-30A	454	457	3.2	2.3	4.1	7.6	2.5	23.5	2.4			MSS	321.6	-64.5	5494596	654847.7	480		
GWM-18E-28C	101	103	2.3	1.2	20.1	36.9	10.6	60.4	10.1	1.3	2	MSS	135.6	-69.5	5494965	654429	742		
including	103	103	0.6	0.3	32		23.9	79.4	9.4	0.3	2.9	MSS							
	134	135	1.2	0.6	9.4		3.6	41.5	0.5	3		SMS							
GWM-18E-17	300	301	1.2	0.7	4.5	8.3	1.5	30	2.9	0.6		SMS	336.9	-72.4	5494746	655180.1	378		
	302	303	1	0.6				56.1	0.4	2.2		SMS							
	308	309	1.6	0.9			0.2	76.1	0.4	3.7		MSS							
including	308	308	0.5	0.3			0.4	175.8	0.8	9.4		SMS							
GWM-17E-08W5	647	648	1			8.1			8.1			SMS	207.7	-64.3	5495170	654348	354		
	650	651	1			1.1			1.1			SMS							

Notes

*Changed due to screen assay result.

**Au (Eq g/t) and Zn (Eq %) represent the in-situ metal content expressed as Au and Zn equivalents.

***Equivalents are not provided when the underlying Au and/or Zn metal content is below 15% of the intersect value.

Preliminary analysis indicates that no metal is dominant; however, Au and Zn are the largest contributors to the Estrades resource.

Equivalencies are calculated using the following metal prices (US\$) and exchange rate (US\$/C\$) provided by RPA:

Au \$1,450/oz, Ag \$21.00/oz, Zn \$1.15/lb, Cu \$3.50/lb, Pb \$1.00/lb, US\$0.80/C\$1.00.

MSS = massive sulphide, SMS = semi-massive sulphide DSS = disseminated and stringer sulphides.

Holes were not drilled in sequential numerical order. If true width (TW) is not specified, the orientation of the zone is unknown at this time.

Holes GWM-17E-08W1 and GWM-17E-08W5 did not intersect significant assays at the target due to structural complexity.

Holes GWM-18E-23, 23A, 28, 28A, 28B, 30, and GWM-17E-08W2-4 were stopped due to excessive deviation;

Hole GWM-17E-32 did not reach the target (will be extended). Holes GWM-17E-20, 22 and 23 have not yet been drilled.

Holes GWM-17E-18, 21, 29, 45, 46, parts of 28C and Newiska holes are awaiting assays.