

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
including	103.00	104.00	1.00	0.50	3.6									GMZ
GWM-20CL-55	20.10	21.50	1.40		0.7				318	-70	5022590	654319	263	GMZ
	41.00	55.00	9.00		2.2			GMZ						
including	42.85	44.00	1.15		5.3			GMZ						
	95.00	96.50	1.50		0.4			GMZ						
	123.50	125.00	1.50		1.2			GMZ						
	189.50	191.90	1.50		0.5			GMZ						
GWM-21CL-56	10.50	11.00	0.50	0.40	7.9									GMZ
	29.00	30.50	1.50	1.10	0.7									GMZ
	67.00	84.00	17.00	12.10	3.6									GMZ
including	81.00	84.00	3.00	2.10	15.6									GMZ
	85.00	89.00	4.00	2.80	0.4									GMZ
GWM-20CL-57	8.15	29.40	21.25	14.90	0.8				345	-44	5022436	654342	351	GMZ
including	10.00	11.00	1.00	0.70	2.1			GMZ						
including	28.55	29.40	0.85	0.60	2.2			GMZ						
	33.25	34.00	0.75	0.50	1.7			GMZ						
	39.80	41.65	1.85	1.30	1.6			GMZ						
	61.75	62.50	0.75		0.6			GMZ						
	170.65	171.45	0.80		0.4			GMZ						
	177.35	178.15	0.80		1.3			GMZ						
	191.25	196.30	5.05		0.7			GMZ						
	216.00	217.50	1.50		3.0			GMZ						
	226.05	226.85	0.80		1.1			GMZ						
	232.40	233.20	0.80		0.5			GMZ						
	234.90	235.65	0.75		0.6			GMZ						
	239.60	252.75	13.15		1.9			GMZ						
including	240.50	241.50	1.00		7.8			GMZ						
including	249.75	250.50	0.75		4.4			GMZ						
	281.90	286.45	4.55		0.7			GMZ						
	292.80	296.05	3.25		0.8			GMZ						
GWM-20CL-58	9.00	27.75	18.75		1.3				315	-47	5022436	654342	333	GMZ
including	17.00	18.00	1.00		8.2 VG			GMZ						
	36.75	44.00	7.25		1.6			GMZ						
including	43.00	43.50	0.50		7.5			GMZ						
including	43.50	44.00	0.50		6.7 VG			GMZ						
	191.00	193.00	2.00		11.4			GMZ						
including	192.00	192.50	0.50		43.5 VG			GMZ						
	287.60	291.40	3.80		1.1			GMZ						
GWM-20CL-59	123.15	124.05	0.90	0.50	0.7				128.5	-45	5022561	654318	309	GMZ
	134.40	135.40	1.00	0.60	0.6			GMZ						
	141.30	149.75	8.45	5.10	4.5			GMZ						
including	141.30	142.00	0.70	0.40	35.3			GMZ						
	152.05	152.80	0.75	0.50	0.4			GMZ						
	153.55	155.80	2.25	1.40	0.5			GMZ						
	192.70	197.40	4.70	2.80	0.7			GMZ						
including	192.70	193.30	0.60	0.40	2.0			GMZ						
	204.75	205.55	0.80	0.50	6.7			GMZ						
	228.65	237.05	8.40	5.10	2.8			GMZ						
	258.00	264.00	6.00	3.60	1.3			GMZ						
GWM-20CL-60	32.60	33.65	1.05		2.1				267	-60	5022561	654318	297	GMZ
	65.80	71.20	5.40		1.0			GMZ						
including	66.85	67.85	1.00		2.8			GMZ						
	148.00	150.00	2.00		0.6			GMZ						
	253.60	260.00	6.40		1.5			GMZ						
including	255.30	260.00	4.70		1.7			GMZ						
GWM-20CL-61	54.85	60.00	5.15		1.2				285	-70	5022561	654318	543	GMZ
	165.55	166.05	1.05		0.5			GMZ						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
including	235.30	236.00	0.70		0.6									Adrian
	284.60	285.55	0.95		0.8									Adrian
	288.20	289.20	1.00		0.6									Adrian
	291.40	300.45	9.05		1.0									Adrian
	291.40	292.35	0.95		3.1									Adrian
	426.90	427.50	0.60		0.5									Adrian
	446.35	447.00	0.65		0.6									Adrian
	448.55	449.10	0.55		0.5									Adrian
GWM-20CL-78	320.00	321.00	1.00		2.9				334	-68	5022723	654861	414.2	GMZ
including	108.00	109.00	1.00		0.7									Adrian
	215.00	228.40	13.40		1.1									Adrian
	221.00	222.00	1.00		6.8									Adrian
	225.00	228.40	3.40		1.2									Adrian
	230.00	230.80	0.80		0.6									Adrian
	247.90	250.10	2.20		0.6									Adrian
	251.25	252.00	0.75		0.5									Adrian
GWM-20CL-80	189.00	190.50	1.50		3.4				291	-79	5022723	654861	498	GMZ
	214.50	215.00	0.50		0.6									GMZ
	228.00	229.00	1.00		0.9									GMZ
	249.00	250.00	1.00		1.2									GMZ
including	178.00	179.00	1.00		0.6				85	-70	5022822	654366	408	Adrian
	179.85	184.55	4.70		33.7 VG									Adrian
	180.35	182.50	2.15		60.7 VG									Adrian
	188.60	189.10	0.50		0.6									Adrian
	190.65	192.65	2.00		0.5									Adrian
	198.60	201.00	2.40		0.7									Adrian
	226.50	229.50	3.00		0.6									Adrian
	268.50	270.00	1.50		1.5									Adrian
	309.00	310.50	1.50		0.5									Adrian
	312.00	315.00	3.00		1.2									Adrian
	including	22.40	23.10	0.70		1.8				85	-70	5022871	654363	381
31.80		32.50	0.70		2.2									Adrian
68.00		69.00	1.00		1.0									Adrian
72.65		86.55	13.90		1.5									Adrian
73.65		74.25	0.60		4.2									Adrian
78.70		79.75	1.05		8.7									Adrian
91.40		92.20	0.80		0.4									Adrian
100.25		103.85	3.60		0.5									Adrian
112.85		115.70	2.85		0.9									Adrian
169.30		171.25	1.95		0.5									Adrian
180.00		181.05	1.05		0.7									Adrian
203.80		204.45	0.65		1.7									Adrian
238.15		239.20	1.05		0.6									Adrian
311.05		316.10	5.05		1.5									Adrian
332.65		333.20	0.55		0.7									Adrian
337.00	339.00	2.00		0.6									Adrian	
GWM-21CL-83	176.00	179.00	3.00		1.0				82	-50	5022822	654365	462	GMZ
including	124.50	146.00	21.50	19.70	1.5				340	-54	5022562	654368	327	GMZ
	126.00	127.50	1.50	1.40	6.1									GMZ
	136.50	138.00	1.50	1.40	5.9									GMZ
	159.00	162.00	3.00	2.90	2.8									GMZ
	184.50	215.00	30.50	28.00	2.1									GMZ
	192.00	193.50	1.50	1.40	15.1									GMZ
	195.00	196.50	1.50	1.40	9.1									GMZ
	232.00	247.50	15.50	14.20	3.0									GMZ
	235.50	236.00	0.50	0.50	64.6									GMZ
	GWM-21CL-85	21.00	22.50	1.50	1.10	0.9				332	-45	5022309	654260	115

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
	78.75	79.25	0.50		0.8									Richard
	89.17	89.93	0.76		0.5									Richard
	102.80	103.30	0.50		3.2									Richard
	113.25	114.25	1.00		0.6									Richard
GWM-19BL-40	No significant values								350	-45	5020710	653225	536	Richard
GWM-19BL-43	64.00	65.00	1.00	0.80	0.4				5	-67	5020812	652645	216	Jubilee
	66.00	82.40	16.40	13.20	1.2									Jubilee
including	67.85	68.50	0.65	0.50	4.1									Jubilee
including	72.90	73.40	0.50	0.40	3.0									Jubilee
including	73.90	74.40	0.50	0.40	3.0									Jubilee
including	80.80	81.88	1.08	0.90	3.9									Jubilee
	84.00	85.00	1.00	0.80	0.6									Jubilee
	96.00	106.00	10.00	8.00	2.3									Jubilee
including	96.00	96.65	0.65	0.50	4.3									Jubilee
including	104.35	104.85	0.50	0.40	32.9									Jubilee
	115.45	116.00	0.55	0.40	0.6									Jubilee
	164.40	165.00	0.55	0.40	0.6									Jubilee
GWM-19BL-45	144.35	144.85	0.5		1.8				255	-45	5020811	652644	245	Jubilee
GWM-19BL-46	55.90	67.85	11.95	11.95	0.5				330	-45	5020810	652646	177	Jubilee
including	67.35	67.85	0.50	0.50	1.7									Jubilee
	70.00	71.00	1.00	1.00	0.9									Jubilee
	72.95	73.75	0.80	0.80	0.4									Jubilee
	90.00	91.00	1.00	1.00	0.9									Jubilee
	103.15	113.60	10.45		0.7									Jubilee
including	107.70	109.00	1.30		3.3									Jubilee
GWM-19BL-47	99.00	104.00	5.00		0.7				260	-80	5020809	652648	225	Jubilee
	111.25	113.00	1.75		0.5									Jubilee
	120.00	120.65	0.65		0.7									Jubilee
	123.60	128.25	5.25		1.0									Jubilee
including	123.60	124.15	0.55		5.6									Jubilee
	161.25	161.75	0.50		4.1									Jubilee
	167.25	167.80	0.55		1.5									Jubilee
	176.30	177.00	0.70		3.5									Jubilee
	186.60	187.25	1.25		1.4									Jubilee
	190.45	195.25	4.80		0.5									Jubilee
GWM-19BL-48	77.35	79.50	2.15		2.2				10	-85	5020805	652648	258	Jubilee
	122.55	123.15	0.60		0.5									Jubilee
	126.50	130.00	4.50		0.9									Jubilee
	165.30	167.65	2.35		1.9									Jubilee
GWM-19BL-51	149.90	150.45	0.55		1.7				220	-70	5020807	652650	267	Jubilee
	210.00	211.00	1.0		1.4									Jubilee
	214.10	214.60	0.5		0.8									Jubilee
	215.80	216.50	0.7		0.5									Jubilee
GWM-19BL-53	123.70	124.50	0.80		0.5				300	-65	5020743	652577	189	Jubilee
GWM-19BL-58	95.35	108.50	13.15		0.7				300	-65	5021479	653468	257	Richard
including	105.45	106.50	1.05		1.8									Richard
	116.00	116.90	0.90		0.6									Richard
	121.00	122.00	1.00		1.1									Richard
	123.80	125.00	1.20		0.5									Richard
	137.95	139.05	1.10		0.8									Richard
GWM-19BL-59	0.00	59.20		No Sampling					310	-65	5021513	653503	80	Richard
	67.70	79.70	12.00		5.9									Richard
including	76.75	77.25	0.50		119.0 V.G.									Richard
GWM-19BL-60	65.50	84.05	18.55		1.7				325	-78	5021535	653518	257	Richard
including	76.05	77.00	0.95		14.2									Richard
including	81.95	83.00	1.05		3.9									Richard
GWM-19BL-62	107.00	108.00	1.00	0.90	3.0				330	-45	5021550	653544	330	Richard

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
GWM-19BL-64 (using 0.25 g/t)	119.40	120.85	1.45		1.3				360	-45	5021682	653565	341	Richard
	117.50	122.30	4.80		1.0			Richard						
	164.00	164.50	0.50		0.6			Richard						
GWM-19BL-65	88.90	89.90	2.00		1.6				320	-80	5021114	652801	111	Richard
GWM-19BL-66	82.75	83.50	0.75		2.9				320	-45	5021031	652889	171	Richard
	148.00	149.00	1.00		0.7			Richard						
	163.20	164.20	1.00		0.7			Richard						
GWM-19BL-67	20.90	21.75	0.85		0.5				332	-75	5021544	653472	221	Richard
	25.75	27.70	1.95		0.9			Richard						
	57.40	74.00	16.60		2.2			Richard						
	including	58.50	59.50	1.00		14.0								Richard
	including	62.75	63.80	1.05		11.6								Richard
		85.50	99.95			No Sampling								Richard
		106.75	170.05			No Sampling								Richard
	172.65	173.80	1.15		1.1			Richard						
GWM-19BL-68	153.00	165.00	12.00		3.0				320	-45	5021112	653078	263	Richard
	including	158.00	159.00	1.00		8.3								Richard
	including	163.00	164.10	1.10		13.3								Richard
		226.00	226.95	0.95		3.9								Richard
GWM-19BL-69	86.50	119.00	32.50		0.5				310	-80	5021486	653467	310	Richard
	including	93.50	119.00	25.50		0.6								Richard
	including	96.50	98.00	1.50		1.1								Richard
	including	102.00	104.50	2.50		1.3								Richard
	including	117.00	119.00	2.00		1.6								Richard
		125.00	126.00	1.00		0.8								Richard
		137.60	138.10	0.50	0.30	1.2								Richard
		141.30	158.00	16.70	10.40	5.5								Richard
	including	142.60	143.10	0.50	0.30	50.7								Richard
	including	143.60	144.10	0.50	0.30	9.5								Richard
	including	151.40	152.00	0.60	0.40	8.4								Richard
	including	152.50	153.00	0.50	0.30	32.4								Richard
	including	153.00	153.60	0.60	0.40	43.2								Richard
	including	155.75	156.35	0.60	0.40	11.7								Richard
		192.50	194.00	1.50		1.6								Richard
	206.00	207.50	1.50		0.5			Richard						
	240.50	243.50	3.00		1.2			Richard						
GWM-19BL-71	56.95	58.70	1.75		0.9				330	-63	5021486	653467	185	Richard
	including	103.95	131.00	27.05		1.1								Richard
	including	105.85	106.85	1.00		7.1								Richard
	including	106.85	107.80	0.95		4.6								Richard
	including	118.20	118.70	0.50		5.0								Richard
GWM-19BL-72	0.00	89.95			No Sampling				278	-85	5021486	653462	236	Richard
	including	128.35	158.00	29.65	16.81	4.6								Richard
	including	142.00	143.00	1.00	0.57	20.2								Richard
	including	151.20	154.85	3.65	2.07	40.5								Richard
	including	151.20	152.00	0.80	0.45	63.6								Richard
	including	152.00	152.50	0.50	0.28	49.1								Richard
	including	154.10	154.85	0.75	0.43	17.5								Richard
		158.00	183.70	25.70	14.57	0.3								Richard
	including	162.35	171.70	9.35	5.30	0.4								Richard
	including	177.20	178.25	1.05	0.60	0.5								Richard
		183.70	193.15	9.45	5.36	20.7								Richard
	including	184.40	185.15	0.75	0.43	92.0								Richard
	including	187.05	188.15	1.10	0.62	23.5								Richard
	including	188.15	189.05	0.90	0.51	51.9								Richard
		209.30	210.00	0.70	0.40	1.1								Richard
GWM-19BL-74	98.00	108.50	10.50		1.2				255	-73	5021486	653462	221	Richard

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
	494.00	494.60	0.60		0.5 *									Richard
GWM-20BL-129	147.50	148.40	0.90	0.70	1.1				300	-65	5021170	653098.6	275	Richard
	185.00	187.00	2.00	1.50	0.6			Richard						
	192.00	193.00	1.00	0.70	0.9			Richard						
	204.00	205.00	1.00	0.70	1.7			Richard						
	248.85	249.55	0.70	0.50	0.7			Richard						
GWM-20BL-130	72.00	102.00	30.00	13.22	0.6				256	-79	5021718	653699	525	Richard
	including 73.00	74.00	1.00	0.44	5.3			Richard						
	including 95.50	97.00	1.50	0.66	1.3			Richard						
	113.50	114.50	1.00	0.44	0.7			Richard						
	117.00	118.00	1.00	0.44	0.4			Richard						
	132.00	149.00	17.00	7.49	0.5			Richard						
	including 132.00	133.00	1.00	0.44	1.4			Richard						
	including 141.00	142.00	1.00	0.44	1.6			Richard						
	149.00	164.00	15.00	6.61	0.2			Richard						
	239.00	240.00	1.00	0.44	0.4			Richard						
	241.00	242.00	1.00	0.44	1.2			Richard						
	383.00	384.50	1.50	0.66	1.0 *			Richard						
	388.00	388.50	0.50	0.22	1.1 *			Richard						
	430.00	431.00	1.10	0.48	75.9			Richard						
	433.00	435.00	2.00	0.88	1.7 *			Richard						
476.00	501.00	25.00	11.01	1.3 *			Richard							
including 479.00	479.65	0.65	0.29	18.5			Richard							
including 497.80	498.30	0.50	0.22	4.4			Richard							
GWM-20BL-131	170.00	171.50	1.50	1.30	13.8				320	-55	5021109	653079.9	284	Richard
	177.50	179.00	1.50	1.30	1.5			Richard						
	185.00	186.50	1.50	1.30	0.5			Richard						
GWM20BL-132	119.85	120.60	0.75	0.60	2.3				320	-70	5021112	653077.2	326	Richard
	180.50	182.00	1.50	1.30	0.4			Richard						
	198.00	198.70	0.70	0.60	0.6			Richard						
	230.00	236.00	6.00	5.20	1.1			Richard						
GWM-20BL-133	59.00	67.65	8.65	7.48	3.0				312	-76	5021718	653699	399	Richard
	including 59.00	60.00	1.00	0.87	21.7			Richard						
	118.00	121.50	3.50	3.03	1.4			Richard						
	137.00	138.00	1.00	0.87	1.3			Richard						
	139.00	140.00	1.00	0.87	0.6			Richard						
	150.50	157.00	6.50	5.62	9.5			Richard						
	including 153.00	154.00	1.00	0.87	27.2			Richard						
	175.50	191.00	15.50	13.41	2.2			Richard						
	including 175.50	176.20	0.70	0.61	30.2			Richard						
	203.00	204.50	1.50	1.30	0.5			Richard						
330.00	331.00	1.00	0.87	18.7			Richard							
GWM-20BL-134	323.00	325.00	2.00	1.50	1.8				320	-85	5021111	653077.4	545	Richard
	435.50	437.00	1.50	1.10	2.0			Richard						
GWM-20BL-135	364.85	368.00	3.15	2.60	35.1				140	-85	5021111	653074.8	582.5	Richard
	including 365.50	366.00	0.50	0.40	209.0			Richard						
GWM-20BL-136	67.00	68.00	1.00	0.57	3.5				263	-72	5021718	653699	453	Richard
	208.00	209.00	1.00	0.57	2.3			Richard						
	231.00	231.50	0.50	0.28	0.7			Richard						
	245.00	291.00			PENDING			Richard						
	291.00	295.00	4.00	2.28	19.5			Richard						
	including 294.00	295.00	1.00	0.57	51.5			Richard						
	303.00	321.00			PENDING			Richard						
	324.00	344.50			PENDING			Richard						
386.50	389.50	3.00	1.71	0.7			Richard							
GWM-20BL-137	139.00	140.00	1.00	0.45	4.3				270	-82	5021671	653684	480	Richard
	188.00	189.00	1.00	0.45	2.1			Richard						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
GWM-21BL-154 including	94.70	111.50	16.80	5.80	1.2				205.4	-90	5021390	653226.2	227	Richard
	110.00	111.50	1.50	0.50	8.3			Richard						
	187.05	200.80	13.75	8.10	3.1			Richard						
	189.00	190.00	1.00	0.60	8.0			Richard						
GWM-21BL-155	111.00	112.00	1.00		2.7			320	-60	5021652	653619.8	339	Richard	
	136.50	137.50	1.00		0.6								Richard	
	199.50	200.40	0.90		0.6								Richard	
	221.00	222.00	1.00		0.6								Richard	
GWM-21BL-156	105.60	107.00	1.40	1.40	0.6			320	-45	5021454	653311.4	167	Richard	
	113.00	114.50	1.50	1.50	0.9								Richard	
	125.00	126.50	1.50	1.50	4.0								Richard	
GWM-21BL-157	67.00	76.00	9.00	5.30	2.6			320	-70	5021453	653311.9	229	Richard	
	including	67.00	68.00	1.00	0.60	14.9								Richard
GWM-21BL-158	100.00	101.00	1.00		0.6			286	-70	5021618	653590.6	429	Richard	
GWM-21BL-159	83.00	84.50	1.50	1.40	2.7			305.1	-44	5021129	653027.4	176	Richard	
	110.00	111.00	1.00	0.90	2.5								Richard	
GWM-21BL-160 including	91.00	92.00	1.00		1.7			318	-63	5021617	653590	400	Richard	
	142.00	161.00	19.00		0.9								Richard	
	160.00	161.00	1.00		2.6								Richard	
	185.00	186.00	1.00		2.0								Richard	
	231.00	235.00	4.00		0.7								Richard	
	295.00	296.00	1.00		0.5								Richard	
GWM-21BL-161 including	242.00	243.90	1.90	0.80	3.5			320	-85	5021069	652932.1	311	Richard	
	242.00	243.40	1.40	0.60	4.4								Richard	
GWM21BL-164 including including including including	74.50	75.75	1.25	0.70	0.4			315	-45	5022675	654715	368	Richard	
	105.50	107.00	1.50	0.80	3.8								Richard	
	142.00	143.70	1.70	0.90	0.7								Richard	
	156.00	157.50	1.50	0.80	0.8								Richard	
	163.50	182.00	18.50	10.10	2.6								Richard	
	164.30	165.00	0.70	0.40	6.2								Richard	
	174.00	175.00	1.00	0.50	23.1								Richard	
	178.50	179.25	0.75	0.40	10.4								Richard	
179.00	180.45	1.45	0.80	0.6			Richard							
GWM-21BL-165 including including	209.00	210.50	1.50	1.40	0.5			290.7	-84	5021206	653150.2	455	Richard	
	237.70	252.50	14.80	14.00	0.9								Richard	
	240.50	242.00	1.50	1.40	2.5								Richard	
	251.00	252.50	1.50	1.40	4.6								Richard	
GWM-21BL-166	75.50	76.00	0.50	0.40	2.6			300	-60	5021682	653670	357	Richard	
	109.50	111.00	1.50	1.19	4.8								Richard	
	121.50	124.50	3.00	2.38	3.0								Richard	
	135.70	136.30	0.60	0.48	0.6								Richard	
	139.50	141.00	1.50	1.19	0.6								Richard	
	143.50	144.00	0.50	0.40	0.7								Richard	
	298.50	299.75	1.25	0.99	0.8								Richard	
GWM-21BL-167 including	198.50	200.00	1.50	1.40	0.6			310.9	-64	5021206	653150	296	Richard	
	205.45	218.00	12.55	11.80	2.2								Richard	
	207.50	209.00	1.50	1.40	12.5								Richard	
	219.50	221.00	1.50	1.40	0.5								Richard	
GWM-21BL-168 including including	70.00	78.00	8.00	6.25	0.7			271	-80	5021719	653703	513	Richard	
	including	70.00	71.00	1.00	0.45	3.2								Richard
	126.00	127.00	1.00	0.45	0.5								Richard	
	145.00	148.00	3.00	1.36	1.3								Richard	
	150.00	151.00	1.00	0.45	0.5								Richard	
	242.00	249.00	7.00	3.17	2.6								Richard	
	including	242.00	243.00	1.00	0.45	14.3								Richard
	258.00	259.00	1.00	0.45	0.7								Richard	
379.75	384.00	4.25	1.92	2.8			Richard							

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
including	381.00	382.00	1.00	0.45	9.9									Richard
	431.90	434.00	2.10	0.95	14.8									Richard
including	431.90	432.50	0.60	0.27	50.4									Richard
	446.00	447.00	1.00	0.45	7.7									Richard
	499.00	500.00	1.00	0.45	2.8									Richard
	501.00	501.70	0.70	0.32	2.3									Richard
GWM-21BL-169	126.50	158.00	31.50	28.00	0.7				320	-45	5021207	653149.7	254	Richard
including	135.50	137.00	1.50	1.30	2.3									Richard
GWM-21BL-170	203.00	204.00	1.00	0.70	0.5				306.5	-86	5021262	653247.9	461	Richard
	210.50	212.00	1.50	1.10	1.1									Richard
	323.00	335.00	12.00	8.80	1.0									Richard
	356.00	362.00	6.00	4.40	4.0									Richard
including	359.00	360.15	1.15	0.80	13.5									Richard
GWM-21BL-171	44.00	54.00	10.00	9.15	1.7				285	-67	5021769	653721	375	Richard
including	45.00	45.50	0.50	0.34	21.7									Richard
	75.00	76.00	1.00	0.68	1.2									Richard
	80.00	81.50	1.50	1.02	1.7									Richard
	90.00	91.50	1.50	1.02	0.6									Richard
	92.40	110.00	17.60	11.95	2.0									Richard
including	93.00	94.00	1.00	0.68	10.3									Richard
including	104.00	105.00	1.00	0.68	5.4									Richard
including	109.00	110.00	1.00	0.68	8.9									Richard
	186.00	187.00	1.00	0.68	0.7									Richard
	198.00	199.00	1.00	0.68	0.8									Richard
GWM-21BL-172	131.30	132.50	1.20	1.20	0.5				320	-65	5021262	653247.7	400	Richard
	180.50	190.00	9.50	9.20	4.0									Richard
including	184.00	185.00	1.00	1.00	23.3									Richard
GWM-21BL-173	116.00	117.00	1.00	1.00	0.5				313.3	-44	5021302	653276.6	260	Richard
	123.00	145.00	22.00	21.60	1.7									Richard
including	132.00	133.00	1.00	1.00	9.8									Richard
including	139.00	140.00	1.00	1.00	6.2									Richard
	171.00	173.00	2.00	2.00	1.7									Richard
	190.00	192.00	2.00	2.00	6.3									Richard
GWM-21BL-175	43.00	45.00	2.00		0.6				286	-67	5021804	653763	372	Richard
	180.50	182.00	1.50		0.6									Richard
	209.00	209.50	0.50		3.6									Richard
	237.50	239.00	1.50		4.9									Richard
	259.70	260.20	0.50		0.6									Richard
GWM-21BL-176	127.65	129.00	1.35	1.30	1.4				320	-70	5021383	653351.1	338	Richard
	143.00	164.00	21.00	20.90	4.4									Richard
including	147.40	148.15	0.75	0.80	53.3									Richard
including	150.10	151.00	0.90	0.90	10.5									Richard
including	161.00	162.00	1.00	1.00	21.8									Richard
	170.00	171.00	1.00	1.00	0.4									Richard
GWM-21BL-177	128.00	163.00	35.00	29.70	3.7				318	-82	5021383	653351.3	410	Richard
including	128.00	129.00	1.00	0.80	10.5									Richard
including	129.00	130.00	1.00	0.80	80.6									Richard
including	146.00	147.50	1.50	1.30	7.6									Richard
	166.00	167.00	1.00	0.80	0.7									Richard
	183.50	204.50	21.00	17.80	3.4									Richard
including	194.00	200.00	6.00	5.10	7.2									Richard
	254.00	260.00	6.00	5.10	2.7									Richard
including	254.00	255.50	1.50	1.30	7.9									Richard
	371.00	373.00	2.00	1.50	1.3									Richard
	398.00	403.65	5.65	4.30	5.5									Richard
including	399.50	401.00	1.50	1.20	13.2									Richard
GWM-21BL-178	39.00	40.00	1.00		1.9				310	-60	5021804	653763	340.5	Richard

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	PB (%)	ZN (%)	W PPM	Azimuth	Dip	UTM		Total Depth (m)	Zone
											Northing	Easting		
including	132.00	133.00	1.00		2.8									
	142.50	144.00	1.50		0.7									
GWM-22BL-238	19.00	20.10	1.10		5.8				290	-45	653659	5022257	186	
including	19.50	20.10	0.60		10.3									
GWM-22BL-240	97.00	98.00	1.00		0.5				300	-45	653651	5022331	186	
	134.50	144.00	9.50		8									
including	136.00	137.10	1.10		62.4									
GWM-22BL-241	102.00	103.00	1.00		0.4				300	-71	653651	5022331	168	
	116.00	117.00	1.00		0.4									
	138.00	139.00	1.00		1									
GWM-22BL-242	72.00	72.60	0.60		1.4				300	-45	653649	5022428	186	
	113.50	114.30	0.80		1.9									
GWM-22BL-243	101.50	103.00	1.50		0.5				300	-73	653649	5022428	192	
	138.00	139.00	1.00		0.5									
	169.50	170.00	0.50		0.4									
GWM-22BL-244	35.50	65.00			PENDING				295	-45	5022536	653693	198	Stewart
	71.00	72.00	1.00		3.4									Stewart
	72.00	111.50			PENDING									Stewart
	113.00	115.55	2.55		0.6									Stewart
	119.50	122.00	2.50		0.4									Stewart
	129.00	130.00	1.00		0.9									Stewart
	144.00	145.00	1.00		3.5									Stewart
	152.00	157.00			PENDING									Stewart
	175.50	176.00	0.50		13.0 V.G.									Stewart
GWM-22BL-246	30.00	32.00	2.00		2.3**				295	-45	653737	5022647	316.55	Stewart
including	30.00	30.50	0.50		5.7**									Stewart
	50.50	51.50	1.00		18.9**									Stewart
	60.50	61.50	1.00		3.5									Stewart
	75.00	77.00	2.00		0.5									Stewart
	80.00	81.50	1.50		0.8									Stewart
	215.00	216.00	1.00		7.7									Stewart
GWM-22BL-247	36.00	36.50	0.50		0.5				295	-78	653737	5022647	327	
	66.00	67.50	1.50		0.6									
	118.00	119.00	1.00		0.4									
	201.00	202.00	1.00		0.4									
	257.00	258.00	1.00		3.9									
GWM-22BL-248	17.00	19.00	2.00		0.6				295	-45	653781	5022743	264	
	23.00	29.00	6.00		1.6									
	27.50	29.00	1.50		4.7									
	31.50	34.00	2.50		0.6									
	44.00	45.00	1.00		1.5									
	72.00	73.00	1.00		0.7									
	110.00	110.50	0.50		1.6									
	116.00	117.00	1.00		1.5									
	164.00	165.00	1.00		1.7									
	243.00	246.00	1.00		1.3									

VG = visible gold; No upper cutoff grade was applied; 0.42 g/t Au was used for the bottom cut-off; True widths are unknown where not specified;

* Intersection used 0.42 g/t Au for the bottom cut-off as per pit constrained resources but is at likely too much depth;

Pending results, if no longer there, have come back with no significant values. "No sampling" = Will be sampled with infill drilling